


THERMOCOUPLES WELDING MACHINE

MPC

Ref : 2161

Rev : A



DESCRIPTION

This machine is designed for sensor manufacturers to produce welds hotspots commercial quality thermocouples.

No special skills are required to use the welding machine and most users will be capable of producing quality work with minimal practice. The soldering machine can be operated via the front panel or by means of a pedal. In addition to working on the thermocouples welds, the welding machine is used in many other applications involving son of the assembly to each other or on metal surfaces.

This model is suitable for the son of 0.1 mm to 1.1 mm in diameter without using Argon gas. If Argon is used a drain pipe is provided in the operation.

TECHNICAL CHARACTERISTICS

PARAMETERS	VALUE
Welding Type	Arc welding
Energy emitted	0 to 60 joules
Sealing capacity	Son between 0.1 and 1.1 mm
Duty cycle	Minimum 5-10 welds / min
Dimensions	Length: 220 mm Height: 120 mm Depth: 250 mm
Weight	4 kg
supply	110 to 120 VAC or 220 to 250 VAC (50 Hz - 60 Hz)
Consumption	170 VA max 20 VA care

OPTIONS

Spare carbon electrodes
Gas valve and flow meter
welding kit resistance

CONTACT

MESUREX

13 Rue des Corroyés

78730 Saint Arnoult en Yvelines

Tel : +33 (0) 1 30 41 23 62

Fax : +33 (0) 1 30 41 23 80

Mail : mesurex@mesurex.fr